




KONICA MINOLTA

# bizhub PRO 754e DATASHEET

- ✓ B/W SRA3+ digital press
- ✓ Up to 75 pages per minute

Competitive prices and a good product mix are essential factors for survival in today's markets. In the print industry, this means a combination of a wide range of products, reliable technology and cost-effective calculation. The bizhub PRO 754e is the answer to these challenges, offering a good mix of features, technologies and investment to drive a successful printing business.



**bizhub PRO 754e** 

**B/W PRODUCTION PRINTING SYSTEM**

# YOUR ADVANTAGES WITH THE bizhub PRO 754e

**HIGHEST RELIABILITY**

- Long-lasting parts and consumables
- Auto Refining Developer System (ARDS)
- For prints with maximum efficiency
- For lucrative short-run printing

**DURABLE PERFORMANCE**

- Up to 75 A4 pages in colour per minute
- Up to 37 A3 pages in colour per minute
- Enhanced overall scanning performance for scanning and copying
- For higher productivity
- For more jobs in the print room

**READY MADE PRINT PRODUCTS**

- 20-sheet booklet making
- 100-sheet stapling
- For highest automation and enormous productivity
- For more profit in the print room

**GEARED UP FINISHING**

- Letter fold-in
- Stacking up to 3,000 sheets
- Optional 2- & 4-hole punching
- Minimised human interaction
- For optimised budgets



**ENVIRONMENT AWARENESS**

- Low power consumption
- Contains recycled plastic and bioplastic
- For reduced environmental impact
- Improved efficiency based on green values



**HIGH END PRINT CONTROL**

- Internal Emperon™ controller
- For intuitive operations
- To save time and money

**EASE OF USE**

- Innovative 9-inch capacitive colour touch screen panel
- Pop-up windows open for all function settings
- Seamless integration into document workflows
- For maximum ease of operation
- Frees operators for more important jobs



**SOPHISTICATED MEDIA HANDLING**

- Up to 6,650 sheets paper input capacity
- Up to 6 paper input trays
- For enhanced overall productivity
- For extreme cost savings

**COMPREHENSIVE MEDIA PROCESSING**

- Up to 300 gsm paper weight in simplex
- Up to 256 gsm paper weight in duplex
- Banner printing support
- For highly flexible print products
- To stand out from the competition


**PERFECT IMAGE QUALITY**

- True 1,200 x 1,200 dpi resolution
- Simitri® HD toner technology
- For new print applications
- For growing businesses

**Simitri HD**  
High Definition Polymerised Toner



## Configuration options



## Technical specifications

### SYSTEM SPECIFICATIONS

<b>Resolution</b>	1,800 x 600 dpi 1,200 x 1,200 dpi
<b>Paper weight</b>	52–300 gsm
<b>Duplex unit</b>	Non-stack type; 64–256 gsm
<b>Paper sizes</b>	A6–SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
<b>Maximum image area</b>	307 x 437 mm (SRA3); 302 x 448 mm (A3+)
<b>Paper input capacity</b>	Standard: 3,650 sheets Max.: 6,650 sheets
<b>Paper output capacity</b>	Max.: 3,200 sheets
<b>Main unit dimensions (W x D x H)</b>	650 x 799 x 1,155 mm
<b>Main unit weight</b>	201 kg

### PRODUCTIVITY

<b>A4 Mono - max. per minute</b>	75 ppm
<b>A3 Mono - max. per minute</b>	37 ppm

### CONTROLLER

<b>Internal controller</b>	Emperon™
----------------------------	----------

### SCANNER SPECIFICATIONS

<b>Scan speed A4</b>	Up to 180 ipm; one pass duplex scanning
<b>Scan resolution</b>	600 x 600 dpi
<b>Scan modes</b>	Scan-to-eMail (Scan-to-Me) Scan-to-SMB (Scan-to-Home) Scan-to-FTP Scan-to-Box Scan-to-USB Scan-to-WebDAV Scan-to-DPWS Network TWAIN scan
<b>Scan formats</b>	JPEG; TIFF; PDF; PDF/A 1a and 1b (optional); compact PDF; encrypted PDF; searchable PDF (optional); XPS; compact XPS; PPTX; searchable PPTX (optional); searchable DOCX/XLSX (optional)

### COPIER SPECIFICATIONS

<b>Gradations</b>	256 gradations
<b>FCOT</b>	3.6 seconds
<b>Magnification</b>	25–400%, in 0.1% steps
<b>Multiple copies</b>	1–9,999

### ACCESSORIES

<b>Large capacity tray A4</b>	LU-301
<b>Large capacity tray A3+</b>	LU-204
<b>Staple finisher</b>	FS-534
<b>Punch kit for FS-534</b>	PK-520
<b>Saddle kit for FS-534</b>	SD-511
<b>Staple finisher</b>	FS-535
<b>Punch kit for FS-535</b>	PK-521
<b>Saddle kit for FS-535</b>	SD-512
<b>Post inserter for FS-535</b>	PI-505
<b>Job separator for FS-535</b>	JS-602
<b>Z-fold unit for FS-535</b>	ZU-606
<b>Output tray</b>	OT-503
<b>Key pad</b>	KP-101
<b>Working table</b>	WT-506
<b>Upright panel</b>	WT-509
<b>Fax board</b>	FK-511
<b>Keyboard holder</b>	KH-102
<b>USB keyboard connection</b>	EK-604
<b>USB keyboard connection, Bluetooth</b>	EK-605
<b>Biometric authentication</b>	AU-102
<b>Security kit</b>	SC-508
<b>Banner tray</b>	BT-C1e
<b>i-Option licence Web browser</b>	LK-101v3
<b>i-Option licence PDF/A,</b>	LK-102v3
<b>PDF encryption, digital signature</b>	
<b>i-Option licence searchable PDF and PPTX</b>	LK-105v3
<b>i-Option licence printing barcode fonts</b>	LK-106
<b>i-Option licence printing of Unicode fonts</b>	LK-107
<b>i-Option licence printing of OCR (A and B) fonts</b>	LK-108
<b>i-Option licence generates various file formats, incl. DOCX and XLSX</b>	LK-110
<b>i-Option licence native ThinPrint client</b>	LK-111
<b>i-Option memory</b>	UK-204
<b>Wireless LAN</b>	SX-600

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4).
- The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.